

## ROLLING A-FRAME ANCHOR TRACK™ SYSTEM INSPECTION CHECKLIST

## **Before Each Use**

| Inspector Name:   |             |                       |      |
|---|-------------|-----------------------|------|
| Date:   |             |                       |      |
| System Number:  |             |                       |      |
| Model:  | 1           |                       |      |
|   |             | Inspection Result (✓) |      |
| INSPECTION POINTS   |             | PASS                  | FAIL |
| 1. Test the swiveling connector(s) on each trolley to verify that each trolley rotates and swive  | els freely. |                       |      |
| 2. Verify that the trolley(s) can easily and smoothly roll the full length of the runway track(s) | ).          |                       |      |
| 3. Check all system welds for cracks.   |             |                       |      |
| 4. Check system components for corrosion.   |             |                       |      |
| 5. Check system components for bent or damaged areas.   |             |                       |      |
| 6. Check support structure for stability.   |             |                       |      |
| Caster Inspection   |             |                       |      |
| 1. Inspect casters for visible signs of damage or excessive wear.                                 |             |                       |      |
| 2. Check each caster unit for potentially concealed damage.                                       |             |                       |      |
| 3. Visually check that all wheel studs are present and tight.                                     |             |                       |      |
| 4. Ensure that the caster's wheel axles are properly secured.                                     |             |                       |      |
| 5. Ensure that the casters' wheel locks and swivel locks perform properly.                        |             |                       |      |

©2016. All Rights Reserved. All specifications and product designs subject to change without prior notice.